Would first thing Monday morning work? 8:30 or 9?

Stacy Hibbard | Program Manager

Industrial Stormwater | Maintenance Inspection City of Portland | Bureau of Environmental Services 6543 N Burlington Ave. Portland, OR 97203

Ex. 6 PP / Ex. 7(C)

From: Ex. 6 PP / Ex. 7(C)

Sent: Friday, October 12, 2018 9:05 AM

| To: Parnell, Dan < <u>Dan.Parnell@portlandoregon.gov</u> >; Hibbard, Stacy < <u>Stacy.Hibbard@portlandoregon.gov</u> > |
|--|
| Cc: Criblez, Matthew < Matthew. Criblez@portlandoregon.gov> |
| Subject: RE: Mtg on SoloPower and inspection file |
| |
| Thanks Dan, |
| |
| Hi Stacy, mostly just looking to borrow a little time and to review your inspection/permit file on Solopower, possibly |
| make copies If you have an office that permits. Ex. 6 PP / Ex. 7(C) |
| Thanks. Ex. 6 PP / Ex. 7(C) |
| |
| From: Parnell, Dan [mailto:Dan.Parnell@portlandoregon.gov] |
| Sent: Thursday, October 11, 2018 4:33 PM |
| To: Ex. 6 PP / Ex. 7(C) Hibbard, Stacy < Stacy. Hibbard@portlandoregon.gov> |
| Cc: Criblez, Matthew < Matthew. Criblez@portlandoregon.gov> |
| Subject: RE: Mtg on SoloPower and inspection file |
| Hi Ex. 6 PP / Ex. 7(C) |
| |
| I'm out of the office tomorrow, but I've included Stacy Hibbard (Industrial Stormwater Manager) and our Manager Matt |
| Criblez (Environmental Compliance Officer). I'm handing you off to Stacy to schedule a time that works for us to meet. |
| Dan Parnell |
| Industrial Permitting Manager |
| City of Portland |
| Water Pollution Control Laboratory |
| 6543 N. Burlington Ave. Portland, OR 97203 |
| Office: (503) 823-7568 Mobile: Ex. 6 PP / Ex. 7(C) |
| From: Fy C DD / Ey 7/C) |
| From: Ex. 6 PP / Ex. 7(C) |
| Sent: Thursday, October 11, 2018 4:07 PM |
| To: Parnell, Dan Dan Parnell@portlandoregon.gov |
| Subject: Mtg on SoloPower and inspection file |
| Hi Dan, |
| It was nice talking with you. As I mentioned on the phone, Susan Elworth suggested I take a look at SoloPower based on |
| recent events and provided me with some of their enforcement documents. I saw the recent BES inspection Nick Cisney |
| did and thought I should understand the full enforcement history from BES' standpoint and maybe take a look at your |
| inspection file. Ex. 6 PP / Ex. 7(C) I'll preemptively apologize if I ask a lot of |
| questions in understanding Portland's permitting program. I'm open Monday the 15 th to stop by if both you and your |
| counterpart in the industrial stormwater section are free. If Monday doesn't pan out I'm currently open the week of the |
| 22 nd . Thanks! |
| Ex. 6 PP / Ex. 7(C) |
| Special Agent |
| U.S. EPA R10 |
| 805 SW Broadway |
| Portland OR 97205 |
| Ex. 6 PP / Ex. 7(C) |



WARNING - THE INFORMATION CONTAINED HEREIN MAY INCLUDE LAW ENFORCEMENT SENSITIVE AND/OR PRIVACY ACT INFORMATION, THE FURTHER DISTRIBUTION OF WHICH (BEYOND THE RECIPIENTS TO WHOM IT HAS BEEN ADDRESSED) MAY BE IN VIOLATION OF FEDERAL INFORMATION SECURITY REGULATIONS, CIVIL AND/OR CRIMINAL LAW WITHOUT THE EXPRESSED PRIOR WRITTEN CONSENT TO RELEASE AND/OR DISSEMINATE FURTHER BY THE U.S. EPA-CID. IF YOU ARE NOT THE INTENDED RECIPIENT PLEASE CONTACT THE SENDER BY REPLY E-MAIL AND DESTROY ALL COPIES OF THE ORIGINAL MESSAGE AND ATTACHMENTS.